4-10-02 W

MISP Standard



MISP STANDARD

THE COLLABORATIVE INTELLIGENCE STANDARD POW-



MISP STANDARD

- Following the grow of organisations relying on MISP, the JSON format used by MISP are standardised under the misp-standard.org umbrella
- The goal is to provide a flexible set of standards to support information exchange and data modeling in the following field:
 - ► Cybersecurity intelligence
 - ► Threat intelligence
 - ► Financial fraud
 - Vulnerability information
 - ► Border control information
 - ► Digital Forensic and Incident Response
 - ► and intelligence at large

MISP Standard

-MISP Standard

TANDARD

 Following the grow of organisations relying on MISP, the JSON format used by MISP are standardised under the miso-standard.org umbrella

■ The goal is to provide a flexible set of standards to information exchange and data modeling in the fol

field:

Cybersecurity intelliger
Threat intelligence

Financial fraud
Vulnerability information

Border control information
Digital Forensic and Incident Resp
and Intelligence of Jacob

STANDARD - MISP CORE FORMAT

This standard describes the MISP core format used to exchange indicators and threat information between MISP instances. The JSON format includes the overall structure along with the semantics associated for each respective key. The format is described to support other implementations, aiming to reuse the format and ensuring the interoperability with the existing MISP software and other Threat Intelligence Platforms.

MISP Standard

—Standard - MISP core format

ANDARD - MISP CORE FORMAT

This standard describes the MISP core format used to exchange indicators and threat information between MISP instances. The JSON format includes the overall structure along with the semantics associated for each respective key. The format is described to support other implementations, aiming to reuse the format and ensuring the interoperability with the existing MISP

MISP OBJECT TEMPLATE FORMAT

This standard describes the MISP object template format which describes a simple JSON format to represent the various templates used to construct MISP objects. A public directory of common MISP object templates and relationships is available and relies on the MISP object reference format.

MISP Standard

-MISP object template format

this standard describes the MISP object template format while lescribes a simple JSON format to represent the various emplates used to construct MISP objects. A public directory o common MISP object templates and relationships is available und relies on the MISP object reference format.

MISP GALAXY FORMAT

This standard describes the MISP galaxy format which describes a simple JSON format to represent galaxies and clusters that can be attached to MISP events or attributes. A public directory of MISP galaxies is available and relies on the MISP galaxy format. MISP galaxies are used to attach additional information structures such as MISP events or attributes. MISP galaxy is a public repository of known malware, threats actors and various other collections of data that can be used to mark, classify or label data in threat information sharing.

MISP Standard

└─MISP galaxy format

GALAXY FORMAT

This standard describes the MISP galaxy format which describes a simple ISOM format to represeng slastics and culters that can be attached to MISP events or attributes. A public directory of MISP galaxies is available and relies on the MISP galaxy format. MISP galaxies is available and relies on the MISP galaxy format. MISP galaxies are used to attach additional information structures such as MISP events or attributes. MISP galaxy is a public repository of known malware, threats actors and various other collections of data that can be used to mark, classify or

SIGHTINGDB FORMAT

This standard describes the format used by SightingDB to give automated context to a given Attribute by **counting occurrences and tracking times of observability**. SightingDB was designed to provide to MISP and other tools an interoperable, scalable and fast way to store and retrieve attributes sightings.

MISP Standard

└─SightingDB format

TINGUB FORMAT

This standard describes the format used by SightingDB to give automated context to a given Attribute by counting occurrences and tracking times of observability. SightingDB was designed to provide to MISP and other tools an interoperable, scalable and fast way to store and retrieve attributes sightlines.

INTERNET-DRAFT - IETF FOR MISP FORMATS AND MISP STANDARD

- If you want to contribute to our IETF Internet-Draft for the MISP standard, misp-rfc¹ is the repository where to contribute.
- Update only the markdown file, the XML and ASCII for the IETF I-D are automatically generated.
- If a major release or updates happen in the format, we will publish the I-D to the IETF².
- The process is always MISP implementation \rightarrow IETF I-D updates.
- Then published standards in misp-standard.org.

MISP Standard

-Internet-Draft - IETF for MISP formats and MISP standard

- The process is always MISP implementation → IETF I-D
- Then published standards in misp-standard.org

¹https://github.com/MISP/misp-rfc 2https://datatracker.ietf.org/doc/search/?name=misp& activedrafts=on&rfcs=on